

AZzardo[®]

TECHNOline



collection 2017 / 2018

AZzardo[®]



CZECH REPUBLIC

DOSPEL s.r.o.
tel: +421 41 565 22 56
e-mail: czech@azzardodesign.com
www.azzardodesign.cz



HUNGARY

Elter Ltd.
tel: +36 74 510 348
e-mail: info@elter.hu
www.elter.hu



IRELAND

LUMINESS Ltd.
tel.: +44 01494 442264
fax: +44 01494 714966
email: office@luminess-ltd.co.uk
www.luminess-ltd.co.uk



POLAND

TORINO HOLDING Sp. z o. o. Sp. K.
tel. +48 61 849 40 80
fax. +48 61 849 40 84
e-mail: biuro@lampy.it
www.lampy.it



SLOVAKIA

DOSPEL s.r.o.
tel: +421 41 565 22 56
e-mail: slovakia@azzardodesign.com
www.azzardo.sk



UNITED KINGDOM

LUMINESS Ltd.
tel.: +44 01494 442264
fax: +44 01494 714966
email: office@luminess-ltd.co.uk
www.luminess-ltd.co.uk



UKRAINE

P.P. "ELEKOMP"
fax. +38 0324 438328
tel. +38 067 353 3757
tel. +38 097 860 6839
e-mail: elekomp@ukr.net
www.elekomp.com.ua

PYRAMID

tel.: +380 (97) 552 20 14
e-mail: info@azzardo-ukraine.com.ua
Shop Supersvet
Kiev. Avtozavodskaya, 24
tel. +38 044 222 55 21
tel. +38 044 331 22 38



ROMANIA

KOMANDOR ROMANIA SRL
tel.: 021 3504170
fax: 021 3504171
e-mail : import@komandor.ro
www.azzardo.ro



NETHERLANDS

HENNIE BUKKEMS
tel. +31 6201 36811
e-mail: bukkemsh@concepts.nl



BULGARIA

VISTA_G Ltd
tel.: +359 32 655 877
mobile: +359 885 388 003
email: sales@iml.bg
www.vista-g.com



ICELAND

PFAFF
tel.: +354 414 0400
fax: +354 414 0401
email: Pfaff@pfaff.is
www: Pfaff.is



**CROATIA
REP. OF BOSNIA AND HERZEGOVINA
MONTENEGRO**

REMBOL d.o.o.
info@azzardo.com.hr
www.azzardo.com.hr
tel. +91 222 02 29
tel. +91 520 12 54
Kopernikova 5
10000 Zagreb

AZzardo[®]

www.azzardodesign.com

azzardodesign.com

A	NAME	bulb included	F
B	GM4100	connect MR16 1x Max.50W (incl.)	G
C	metal / aluminium	connect GU10 1x Max.50W (options)	G
H	IP20	installation place	I
D	group energy label	inlet opening	J
E	COLOUR	Ø5cm	J
	<ul style="list-style-type: none"> ALUMINIUM BLACK / ALUMINIUM WHITE WHITE / ALUMINIUM CHROME 		

A	B	C	D	E
			<p>see detailed information on page 177</p> <ul style="list-style-type: none"> EE 1 picture 177A EE 2 picture 177B EE 3 picture 177C EE 5 picture 177D EE 4 picture 177E EE 6 picture 177F EE 7 picture 177G EE 8 picture 177H 	<ul style="list-style-type: none"> BK - BLACK WH - WHITE CH - CHROME AL - ALUMINIUM GO - GOLD BR - BROWN CO - CONCRETE COO - COPPER ST - STEEL AM - AMBER OL - OLIVE CHA - CHAMPAGNE AST - ANODISED STEEL ABR - ANODISED BROWN AGO - ANODISED GOLD ACO - ANODISED COPPER

product name **item no.** **material** **group energy label** **colour**

F	G 1 2 3 4	H	I 5 6	J 7 8 9 10
<ul style="list-style-type: none"> bulb included bulb not included bulb integrated 	<ul style="list-style-type: none"> 1 maximum lamp watt (W) 2 number of bulbs 3 bulb type <ul style="list-style-type: none"> 2D bulb PL-L T5 E14 E27 G24 G9 AR111 ES111 230V MR16 GU10 LED 4 not included in the price of the purchased lamp 	<p>degree of protection for electrical devices against dust, moisture and water</p> <p>IP66 protection against ingress of dust, protection against powerful water jets or splashing of water from any direction</p> <p>IP54 protection against the ingress of dust in quantities that would interfere with operation, protection against drops of rain falling at any angle</p> <p>IP44 protection against solid objects (fine tools and wires to 1 mm), protection against drops falling at any angle, from all sides (rain)</p> <p>IP20 protection against accidental touch, lack of security moisture</p>	<p>5 installation place</p> <ul style="list-style-type: none"> ceiling surface mounted wall surface mounted pendant <p>6 the shape and size of the inlet opening (dimensions are in centimeters)</p> <ul style="list-style-type: none"> round hole (cm) square hole (cm) rectangular hole (cm) 	<p>technical drawing view (dimensions are in centimeters)</p> <ul style="list-style-type: none"> 7 side view 8 top view <p>range of adjustment of the reflector</p> <ul style="list-style-type: none"> 9 reflector tilt 10 reflector rotation

other information **bulb type** **protection class** **installation** **dimensional drawing**


INDEX



EXPOSED DOWNLIGHTS



EXCLUSIVE DOWNLIGHT




DOWNLIGHTS



INDOOR WALL LAMPS



OUTDOOR WALL LAMPS



LED PANELS




LED TUBES, LED GRILL & HERMETIC LAMPS



LEDBULBS

EXPOSED downlights



MINI BROSS 6




MINI ELOY 7



BROSS 1 8




ELOY 10



HUGO 1 12



REMO 14



BORIS 16



DARIO 17



MINI ROUND 18




MINI SQUARE 19




GALENA 20



VISION 21



REMO 22




RAFFAEL 23



FLAVIO 24



LALO 25



NEOS 26



NINO 28



PAULO 1 30



ECO ALIX 36




ECO ALEX 37



ALIX 38



ALEX 39



JERRY 1 40



JERRY TRACK 42



JANE TRACK 43



MAX 44



LINO 46



VASCO 47



LUNA 48



SANTOS 49



DIADO 50



SCORPIO 51



MATEO 52



MOMO 53



MONZA R 54



MONZA PEND 55



MONZA S 56



SIENA 10 58



TIVOLI 59



EXPOSED DOWNLIGHTS

MINI BROSS

Exposed downlights




MINI BROSS

bulb not included


GM4000	connect GU10 1x Max.50W	
aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- CHROME (CH)



TILT 60° ROTATION 350°



MINI ELOY

Exposed downlights




MINI ELOY

bulb not included

GM4006	connect GU10 1x Max. 50W	
aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- CHROME (CH)



TILT 60° ROTATION 350°







BROSS 1

bulb not included

GM4100	connect GU10 1x Max.50W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE (WH)
- WHITE / ALUMINIUM (WH / ALU)
- CHROME (CH)
- WHITE / BLACK (WH/BK)
- BRIGHT GREY (BGR)





BROSS 2

bulb not included


GM4200	connect GU10 2x Max.50W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE (WH)
- WHITE / ALUMINIUM (WH / ALU)
- CHROME (CH)
- WHITE / BLACK (WH/BK)
- BRIGHT GREY (BGR)



* - EXPLANATION SHORTCUT PAGE 2 (E)




ELOY

GM4106	connect GU10 1x Max.50W	bulb not included
metal / aluminium		
IP20	installation place	
group energy label EE 2	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE (WH)
- WHITE / ALUMINIUM (WH / ALU)
- CHROME (CH)
- BLACK / BLACK (BK / BK)
- WHITE / BLACK (WH / BK)



TILT 60° ROTATION 350°




ELOY 2

GM204	connect GU10 2x Max.50W	bulb not included
metal / aluminium		
IP20	installation place	
group energy label EE 2	inlet opening	

COLOUR


- ALUMINIUM (ALU)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE (WH)
- WHITE / ALUMINIUM (WH / ALU)
- BLACK / BLACK (BK / BK)



TILT 60° ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)





HUGO

bulb not included

GM4104	connect GU10 1x Max.50W	<input checked="" type="checkbox"/>
metal / aluminium		
IP20	installation place	<input type="checkbox"/>
group energy label EE 5	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)




HUGO R

bulb not included

GM4104 R	connect GU10 1x Max.50W	<input checked="" type="checkbox"/>
aluminium		
IP20	installation place	<input type="checkbox"/>
group energy label EE 5	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- GOLD (GO)
- CHAMPAGNE (CHA)
- CHROME (CH)



* - EXPLANATION SHORTCUT PAGE 2 (E)



REMO

Exposed downlights




REMO

bulb not included

GM4103	connect GU10 1x Max.50W	<input checked="" type="checkbox"/>
metal / aluminium		
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)




REMO R

bulb not included

GM4103 R	connect GU10 1x Max.50W	<input checked="" type="checkbox"/>
aluminium		
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- GOLD (GO)
- CHAMPAGNE (CHA)
- CHROME (CH)



* - EXPLANATION SHORTCUT PAGE 2 (E)

REMO

Exposed downlights



BORIS

Exposed downlights



WH *



ALU

BK

WH


BORIS

bulb not included

GM4108	connect GU10 1x Max. 50W
metal / aluminium	
IP20	installation place
group energy label	inlet opening

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)
- BLACK (BK)



DARIO

Exposed downlights



ALU *



DARIO

bulb not included

GM4109	connect GU10 1x Max. 50W
metal / aluminium	
IP20	installation place
group energy label	inlet opening

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)
- BLACK (BK)



ALU

BK

WH



* - EXPLANATION SHORTCUT PAGE 2 (E)



MINI ROUND

18

Exposed downlights




MINI ROUND

bulb not included

GM4115	connect GU10 1x Max. 50W	<input checked="" type="checkbox"/>
aluminium		
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)
- CHROME (CH)



MINI SQUARE

19

Exposed downlights



MINI SQUARE

bulb not included

GM4209	connect GU10 1x Max. 50W	<input checked="" type="checkbox"/>
metal / aluminium		
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)



* - EXPLANATION SHORTCUT PAGE 2 (E)

GALENA

20

Exposed downlights



WH-MATT *



WH-MATT


GALENA

bulb integrated

LC1486-12W-W	LED 11W 3000K RA>80	
aluminium	960 lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

MATT WHITE (WH)



TILT 90° ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)

VISION

21

Exposed downlights



WH *



WH

BK

VISION


bulb not included

GM4214	connect GU10 2x Max. 50W	
aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE (WH)

BLACK (BK)



TILT 60°






ARO

bulb not included

GM4111 CH	connect GU10 1x Max. 50W	<input checked="" type="checkbox"/>
aluminium		
IP54	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

CHROME (CH)




RAFFAEL

bulb not included

NC2055	connect GU10 1x Max. 50W	<input checked="" type="checkbox"/>
aluminium		
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- CHROME (CH)
- WHITE (WH)
- GOLD (GO)
- BRUSHED COPPER (BCO)



FLAVIO

Exposed downlights



WH / BK *


FLAVIO

bulb not included

GM4102	connect GU10 1x Max.50W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE / BLACK (WH / BK)



TILT 340°



WH / BK *


FLAVIO 2

bulb not included

GM4202	connect GU10 2x Max.50W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE / BLACK (WH / BK)



TILT 340°

* - EXPLANATION SHORTCUT PAGE 2 (E)



LALO

Exposed downlights



WH / BK *


LALO 2

bulb not included

GM4201	connect GU10 2x Max.50W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE / BLACK (WH / BK)



TILT 340°



WH / BK *


LALO

bulb not included

GM4101	connect GU10 1x Max.50W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE / BLACK (WH / BK)



TILT 340°



WH / CH *


NEOS 1

bulb not included

FH31431B	connect GU10 1x Max.50W	<input checked="" type="checkbox"/>
metal / aluminium		
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- BLACK / CHROME (BK / CH)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE / CHROME (WH / CH)
- WHITE / ALUMINIUM (WH / ALU)



TILT 90°



WH / CH *


NEOS 3

bulb not included

FH31433B	connect GU10 3x Max.50W	<input checked="" type="checkbox"/>
metal / aluminium		
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- BLACK / CHROME (BK / CH)
- WHITE / CHROME (WH / CH)



TILT 90°



WH / CH *


NEOS 2

bulb not included

FH31432B	connect GU10 2x Max.50W	<input checked="" type="checkbox"/>
metal / aluminium		
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- BLACK / CHROME (BK / CH)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE / CHROME (WH / CH)
- WHITE / ALUMINIUM (WH / ALU)



TILT 90°



WH / CH *


NEOS 4

bulb not included

FH31434B	connect GU10 4x Max.50W	<input checked="" type="checkbox"/>
metal / aluminium		
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- BLACK / CHROME (BK / CH)
- WHITE / CHROME (WH / CH)



TILT 90°



* - EXPLANATION SHORTCUT PAGE 2 (E)





WH / CH *


NINO 1

bulb not included

FH31431S	connect GU10 1x Max.50W
metal / aluminium	
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / CHROME (BK / CH)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE / CHROME (WH / CH)
- WHITE / ALUMINIUM (WH / ALU)



TILT 90°



WH / CH *


NINO 3

bulb not included

FH31433S	connect GU10 3x Max.50W
metal / aluminium	
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / CHROME (BK / CH)
- WHITE / CHROME (WH / CH)



TILT 90°



WH / CH *


NINO 2

bulb not included

FH31432S	connect GU10 2x Max.50W
metal / aluminium	
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / CHROME (BK / CH)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE / CHROME (WH / CH)
- WHITE / ALUMINIUM (WH / ALU)



TILT 90°



WH / CH *


NINO 4

bulb not included

FH31434S	connect GU10 4x Max.50W
metal / aluminium	
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / CHROME (BK / CH)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE / CHROME (WH / CH)
- WHITE / ALUMINIUM (WH / ALU)



TILT 90°

* - EXPLANATION SHORTCUT PAGE 2 (E)



PAULO 230V LED 7W NO DIM / 7W WITH DIM

Exposed downlights



BK / ALU *

PAULO 1 230V LED 7W WITH DIM/ 7W NO DIM bulb included



GM4107-230V	LED 1x GU10 LED 7W	LED
metal / aluminium	Azzardo LL110074/73 + PAR-16 included	
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/>

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)

OPTION

WITH DIMMER



BK / ALU *

PAULO 2 230V LED 7W WITH DIM/ 7W NO DIM bulb included



GM4203-230V	LED 2x GU10 LED 7W	LED
metal / aluminium	Azzardo LL110074/73 + PAR-16 included	
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/>

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)

OPTION

WITH DIMMER



BK / ALU *

PAULO 3 230V LED 7W WITH DIM/ 7W NO DIM bulb included



GM4301-230V	LED 3x GU10 LED 7W	LED
metal / aluminium	Azzardo LL110074/73 + PAR-16 included	
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/>

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)

OPTION

WITH DIMMER



BK / ALU *

PAULO 4 230V LED 7W WITH DIM/ 7W NO DIM bulb included



GM4400-230V	LED 4x GU10 LED 7W	LED
metal / aluminium	Azzardo LL110074/73 + PAR-16 included	
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/>

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)

OPTION

WITH DIMMER



PAULO 230V LED 7W NO DIM / 7W WITH DIM

Exposed downlights



BK / ALU *

PAULO 4 PENDANT 230V LED 7W WITH DIM/ 7W NO DIM bulb included



GM5400-7W	LED 4x GU10 LED 7W	LED
metal / aluminium	Azzardo LL110074/73 + PAR-16 included	
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/>

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)

OPTION


WITH DIMMER



* - EXPLANATION SHORTCUT PAGE 2 (E)

PAULO 230V LED 15W WITH DIM/ 16W NO DIM

Exposed downlights





PAULO 4 PENDANT 230V LED 15W WITH DIM/ 16W NO DIM bulb included

GM5400-230V	LED ES 111 230V 4x16W (15W with dimer)
metal / aluminium	Azzardo LL 110161/52 – included
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)



* - EXPLANATION SHORTCUT PAGE 2 (E)

PAULO 230V LED 15W WITH DIM/ 16W NO DIM

Exposed downlights





PAULO 1 230V LED 15W WITH DIM/ 16W NO DIM bulb included

GM4107-230V	LED ES 111 230V 1x16W (15W with dimer)
metal / aluminium	Azzardo LL 110161/52 – included
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)





PAULO 2 230V LED 15W WITH DIM/ 16W NO DIM bulb included

GM4203-230V	LED ES 111 230V 2x16W (15W with dimer)
metal / aluminium	Azzardo LL 110161/52 – included
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)





PAULO 3 230V LED 15W WITH DIM/ 16W NO DIM bulb included

GM4301-230V	LED ES 111 230V 3x16W (15W with dimer)
metal / aluminium	Azzardo LL 110161/52 – included
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)





PAULO 4 230V LED 15W WITH DIM/ 16W NO DIM bulb included

GM4400-230V	LED ES 111 230V 4x16W (15W with dimer)
metal / aluminium	Azzardo LL 110161/52 – included
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)






PAULO 4 PENDANT 12V

bulb not included

GM5400-12V	connect G53 QR 111 4x12V
metal / aluminium	dimer driver 12V – included
IP20	installation place
group energy label	inlet opening

- COLOUR
- BLACK / ALUMINIUM (BK / ALU)
 - WHITE / ALUMINIUM (WH / ALU)
 - WHITE / WHITE (WH / WH)





PAULO 1 12V

bulb not included

GM4107-12V	connect G53 QR 111 1x12V
metal / aluminium	dimer driver 12V – included
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)




PAULO 2 12V

bulb not included

GM4203-12V	connect G53 QR 111 2x12V
metal / aluminium	dimer driver 12V – included
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)





PAULO 3 12V

bulb not included

GM4301-12V	connect G53 QR 111 3x12V
metal / aluminium	dimer driver 12V – included
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)




PAULO 4 12V

bulb not included

GM4400-12V	connect G53 QR 111 4x12V
metal / aluminium	dimer driver 12V – included
IP20	installation place
group energy label	inlet opening

COLOUR

- BLACK / ALUMINIUM (BK / ALU)
- WHITE / ALUMINIUM (WH / ALU)
- WHITE / WHITE (WH / WH)



ECO ALIX 230V LED 15W WITH DIM /16W NO DIM

Exposed downlights




ECO ALIX

bulb included

GM4210	LED ES 111 230V 1x16W (15W with dimer)	LED
aluminium	Azzardo LL 110161/52 – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)



ECO ALEX 230V LED 15W WITH DIM /16W NO DIM

Exposed downlights





ECO ALEX

bulb included

GM4211	LED ES 111 230V 1x16W (15W with dimer)	LED
aluminium	Azzardo LL 110161/52 – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



WH

BK



ALIX

bulb not included

GM4110	connect 1x QR111 MAX 50W	
aluminium	dimer driver 12V – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)



WH *



ALEX

bulb not included

GM4112	connect 1x QR111 MAX 50W	
metal / aluminium	dimer driver 12V – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)



WH

BK



JERRY 12V

Exposed downlights





JERRY 1 12V

bulb not included

GM4113-12V WH/BK	connect 1x QR111 MAX 50W	
aluminium	dimer driver 12V – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)
- CHROME (CH)





JERRY 2 12V

bulb not included

GM4205-12V WH/BK	connect QR111 2x Max. 50W	
aluminium	dimer driver 12V – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)
- CHROME (CH)





JERRY 3 12V

bulb not included

GM4302-12V WH/BK	connect QR111 3x Max. 50W	
aluminium	dimer driver 12V – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)
- CHROME (CH)



JERRY 230V LED 15W WITH DIM/ 16W NO DIM

Exposed downlights





JERRY 1 230V LED 15W WITH DIM/ 16W NO DIM

bulb included

GM4113 WH/BK	LED ES 111 230V 1x16W (15W with dimer)	
aluminium	Azzardo LL 110161/52 – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)





JERRY 2 230V LED 15W WITH DIM/ 16W NO DIM

bulb included

GM4205 WH/BK	LED ES 111 230V 2x16W (15W with dimer)	
aluminium	Azzardo LL 110161/52 – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)





JERRY 3 230V LED 15W WITH DIM/ 16W NO DIM

bulb included

GM4302 WH/BK	LED ES 111 230V 3x16W (15W with dimer)	
aluminium	Azzardo LL 110161/52 – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)



* - EXPLANATION SHORTCUT PAGE 2 (E)

JERRY TRACK

42

Exposed downlights





JERRY TRACK

bulb not included

GM4114	connect GU10 1x Max. 50W	<input checked="" type="checkbox"/>
metal / aluminium		
IP20	installation place – track 3 x line	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)



WH

BK

* - EXPLANATION SHORTCUT PAGE 2 (E)

JANE TRACK

43

Exposed downlights





JANE TRACK

bulb not included

GM3116	connect GU10 1x Max. 50W	<input checked="" type="checkbox"/>
metal / aluminium		
IP20	installation place – track 3 x line	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- WHITE (WH)
- BLACK (BK)



WH

BK



MAX 12V / MAX 230V LED 15W WITH DIM/ 16W NO DIM

Exposed downlights





MAX 1 12V

bulb not included

GM4114-12V WH/BK	connect 1x QR111 MAX 50W	
aluminium	dimer driver 12V – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE / BLACK (WH / BK)





MAX 1 230V LED 15W WITH DIM/ 16W NO DIM

bulb included

GM4114 WH/BK	LED ES 111 230V 1x16W (15W with dimer)	
aluminium	Azzardo LL 110161/52 – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE / BLACK (WH / BK)





MAX 2 12V

bulb not included

GM4206-12V WH/BK	connect 2x QR111 MAX 50W	
aluminium	dimer driver 12V – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE / BLACK (WH / BK)





MAX 2 230V LED 15W WITH DIM/ 16W NO DIM

bulb included

GM4206 WH/BK	LED ES 111 230V 2x16W (15W with dimer)	
aluminium	Azzardo LL 110161/52 – included	
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE / BLACK (WH / BK)



* - EXPLANATION SHORTCUT PAGE 2 (E)

MAX 12V 15W WITH DIM/ 16W NO DIM

Exposed downlights



LINO

Exposed downlights



CH *



CH

BK-CHROME

WH-MATT


LINO

bulb not included

NC1802-YLD	connect GU10 1x Max. 50W	<input checked="" type="checkbox"/>
aluminium		
IP20	installation place	<input type="checkbox"/> <input checked="" type="checkbox"/>
group energy label <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	inlet opening	

COLOUR

- WHITE MATT (WH)
- BLACK CHROME (BK)
- CHROME (CH)



TILT 60° ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)

VASKO

Exposed downlights



CH *



VASKO

bulb not included

NC1936	connect GU10 1x Max. 50W	<input checked="" type="checkbox"/>
aluminium		
IP20	installation place	<input type="checkbox"/> <input checked="" type="checkbox"/>
group energy label <input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/>	inlet opening	

COLOUR

- WHITE MATT (WH)
- BLACK CHROME (BK)
- CHROME (CH)



CH

BK-CHROME

WH-MATT







LUNA

bulb included

LM-8141	LED 12W 3000k 1100lm	
aluminium		
IP20	installation place	
group energy label	inlet opening	Ø 8,5cm

COLOUR

WHITE (WH)



SANTOS



bulb included

** PRODUCT CODE	LED 12W 3000K 950lm	
aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE (WH) - ** LM-9013

BLACK (BK) - ** LM-9012



* - EXPLANATION SHORTCUT PAGE 2 (E)

DIADO

Exposed downlights



CH *



WH

CH


DIADO

bulb integrated

LC1329	LED 5W 3000K RA>80	
aluminium	360 lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- MATT WHITE (WH)
- CHROME (CH)



TILT 90°

ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)

SCORPIO

Exposed downlights



CH *


SCORPIO

bulb integrated

LC1295-M	LED 10W 3000K RA>80	
aluminium	850 lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- CHROME (CH)
- WHITE (WH)



TILT 60°

ROTATION 350°



CH

WH






MATEO S

bulb integrated

LC1464-FW	LED 7W 3000K RA>80 520lm	
aluminium	520 lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

MATT WHITE (WH)




MATEO M

bulb integrated

LC1465-FW	LED 9W 3000K RA>80	
aluminium	710 lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

MATT WHITE (WH)




MOMO 8 3000K

bulb included

**PRODUCT CODE	LED 6W 3000K RA≥90 500lm	
aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE (WH) - ** SH2606-WH
 BLACK (BK) - ** SH2606-BK





MOMO 12 3000K

bulb included

**PRODUCT CODE	LED 12W 3000K RA≥90 1000lm	
aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE (WH) - ** SH2612-WH
 BLACK (BK) - ** SH2612-BK




MOMO 14 3000K

bulb included

**PRODUCT CODE	LED 18W 3000K RA≥90 1500lm	
aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE (WH) - ** SH2618-WH
 BLACK (BK) - ** SH2618-BK



* - EXPLANATION SHORTCUT PAGE 2 (E)



MONZA R TOP

Exposed downlights



MONZA R 8 3000K/ 4000K

bulb included

**PRODUCT CODE	LED 5W 3000K RA _≥ 90 420lm	
acrylic/aluminium	LED 5W 4000K RA _≥ 90 590lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) – ** SHR603000-5-WH / SHR604000-5-WH
- BLACK (BK) – ** SHR613000-5-BK / SHR614000-5-BK



MONZA R 12 3000K/ 4000K

bulb included

**PRODUCT CODE	LED 10W 3000K RA _≥ 90 840lm	
acrylic/aluminium	LED 10W 4000K RA _≥ 90 1020lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) – ** SHR623000-10-WH / SHR624000-10-WH
- BLACK (BK) – ** SHR633000-10-BK / SHR634000-10-BK




MONZA R 22 3000K/ 4000K

bulb included

**PRODUCT CODE	LED 20W 3000K RA _≥ 90 1680lm	
acrylic/aluminium	LED 20W 4000K RA _≥ 90 1760lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) – ** SHR643000-20-WH / SHR644000-20-WH
- BLACK (BK) – ** SHR653000-20-BK / SHR654000-20-BK




MONZA R 40 3000K/ 4000K

bulb included

**PRODUCT CODE	LED 50W 3000K RA _≥ 90 4200lm	
acrylic/aluminium	LED 50W 4000K RA _≥ 90 4400lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) – ** SHR663000-50-WH / SHR664000-50-WH
- BLACK (BK) – ** SHR673000-50-BK / SHR674000-50-BK



MONZA R PENDANT

Exposed downlights




MONZA R PENDANT 40

bulb included

**PRODUCT CODE	LED 50W 3000K RA _≥ 90 4200lm	
acrylic/aluminium	LED 50W 4000K RA _≥ 90 4400lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) – ** SHPEN3000-50-WH
- BLACK (BK) – ** SHPEN3000-50-BK



* - EXPLANATION SHORTCUT PAGE 2 (E)





MONZA SQUARE 22 3000K/ 4000K

bulb included

** PRODUCT CODE	LED 20W 3000K RA _z 90 1680lm	
acrylic/aluminium	LED 20W 4000K RA _z 90 1760lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) – ** SHS543000-20-WH / SHS544000-20-WH
- BLACK (BK) – ** SHS553000-20-BK / SHS554000-20-BK





MONZA SQUARE 40 3000K/ 4000K

bulb included

** PRODUCT CODE	LED 50W 3000K RA _z 90 4200lm	
acrylic/aluminium	LED 50W 4000K RA _z 90 4400lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) – ** SHS563000-50-WH / SHS564000-50-WH
- BLACK (BK) – ** SHS573000-50-BK / SHS574000-50-BK



* - EXPLANATION SHORTCUT PAGE 2 (E)







SIENA 10W 3000K/4000K

bulb included

**PRODUCT CODE	LED 10W 3000K RA≥90 840lm	
aluminium	LED 10W 4000K RA≥90 880lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) - ** SH603000-10-WH / SH604000-10-WH
- BLACK (BK) - ** SH613000-10-BK / SH614000-10-BK
- CHROME (CH) - ** SH623000-10-CH / SH624000-10-CH





SIENA 20W 3000K/4000K

bulb included

**PRODUCT CODE	LED 20W 3000K RA≥90 1680lm	
aluminium	LED 20W 4000K RA≥90 1760lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) - ** SH603000-20-WH / SH604000-20-WH
- BLACK (BK) - ** SH613000-20-BK / SH614000-20-BK
- CHROME (CH) - ** SH623000-20-CH / SH624000-20-CH



CH



BK



WH



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK

WH






TIVOLI TRACK 10W 3000K/4000K

bulb included

**PRODUCT CODE	LED 10W 3000K RA≥90 840lm	
aluminium	LED 10W 4000K RA≥90 880lm	
IP20	installation place - track 3 x line	
group energy label	inlet opening	

COLOUR


- WHITE (WH) - ** SH633000-10-WH / SH634000-10-WH
- BLACK (BK) - ** SH643000-10-BK / SH644000-10-BK






EXCLUSIVE DOWNLIGHTS


EXCLUSIVE downlights



SIMON 62



MIRA 64



CLOE 65




EVAR 66



PIRAMIDE XL 68



CLETO 69



ADAMO 70



ADAMO RING 71




LUCIANO S 72



BIAGIO 73



LORENZA 74



LORENZO 75



ESTER 76



VEKTOR R 78



MARIKA 80



ELEGANT BULB 81



WH-MATT *


SIMON ROUND

bulb not included

NC1767R-W	connect GU10 1x Max 50W - included	<input checked="" type="checkbox"/>
aluminium / crystal	connect MR16 1x Max 50W (option)	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/> Ø 7 cm

COLOUR

- WHITE MATT (WH)
- CHROME (CH)
- BLACK CHROME (BK)



WH-MATT

WH-MATT

BK-CHROME

BK-CHROME

CH

CH



WH-MATT *


SIMON SQUARE

bulb not included


NC1767SQ-W	connect GU10 1x Max.50W - included	<input checked="" type="checkbox"/>
aluminium / crystal	connect MR16 1x Max 50W (option)	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/> Ø 7 cm

COLOUR

- WHITE MATT (WH)
- CHROME (CH)
- BLACK CHROME (BK)



* - EXPLANATION SHORTCUT PAGE 2 (E)




MIRA

bulb not included

NC1695-G	connect GU10 1x Max 50W - included	<input checked="" type="checkbox"/>
aluminium / crystal	connect MR16 1x Max 50W (option)	<input type="checkbox"/>
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- GOLD (GO)
- CHROME (CH)



CH

* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *


CLOE

bulb not included

NC1738-M	connect GU10 1x Max 50W - included	<input checked="" type="checkbox"/>
aluminium	connect MR16 1x Max 50W (option)	<input type="checkbox"/>
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	

COLOUR

- CHROME (CH)






EVA ROUND

bulb not included

NC1519R-CH	connect GU10 1x Max 50W - included	<input checked="" type="checkbox"/>
aluminium / crystal	connect MR16 1x Max 50W (option)	<input checked="" type="checkbox"/>
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	Ø 6,5cm

COLOUR

- GOLD (GO)
- CHROME (CH)




EVA SQUARE

bulb not included

NC1519SQ-CH	connect GU10 1x Max 50W - included	<input checked="" type="checkbox"/>
aluminium / crystal	connect MR16 1x Max 50W (option)	<input checked="" type="checkbox"/>
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	Ø 6,5cm

COLOUR

- GOLD (GO)
- CHROME (CH)



* - EXPLANATION SHORTCUT PAGE 2 (E)



PIRAMIDE

Exclusive downlights



CH *


PIRAMIDE L

bulb not included

NC1674SQ-CH	connect GU10 1x Max 50W - included
aluminium / crystal	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,0cm

COLOUR

- GOLD (GO)
- CHROME (CH)



GO *


PIRAMIDE XL

bulb not included

NC1673SQ-G	connect GU10 1x Max 50W - included
aluminium / crystal	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,0cm

COLOUR

- GOLD (GO)
- CHROME (CH)



GO

CH



CLETO

Exclusive downlights



CH *



CLETO

bulb not included

NC2004-B	connect GU10 1x Max 50W - included
aluminium	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,0cm

COLOUR

- CHROME (CH)
- GOLD (GO)



CH

GO



* - EXPLANATION SHORTCUT PAGE 2 (E)




ADAMO MIDST

bulb not included

NC1825-M-CH	connect GU10 1x Max 50W - included
aluminium	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,5cm

COLOUR

- WHITE MATT (WH)
- CHROME (CH)
- BLACK CHROME (BK)
- GOLD (GO)




ADAMO MIDST

bulb not included

NC1825-M-BK	connect GU10 1x Max 50W - included
aluminium	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,5cm

COLOUR

- WHITE MATT (WH)
- CHROME (CH)
- BLACK CHROME (BK)
- GOLD (GO)




ADAMO MIDST

bulb not included

NC1825-M-G	connect GU10 1x Max 50W - included
aluminium	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,5cm

COLOUR

- WHITE MATT (WH)
- CHROME (CH)
- BLACK CHROME (BK)
- GOLD (GO)




ADAMO MIDST

bulb not included

NC1825-M-W	connect GU10 1x Max 50W - included
aluminium	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,5cm

COLOUR

- WHITE MATT (WH)
- CHROME (CH)
- BLACK CHROME (BK)
- GOLD (GO)




ADAMO RING

bulb not included

**product code behind COLOUR'S name	
aluminium	
	installation place
group energy label	

COLOUR

- WHITE MATT (WH) - ** NC1827-W
- CHROME (CH) - ** NC1827-CH
- BLACK CHROME (BK) - ** NC1827-BK
- GOLD (GO) - ** NC1827-G



* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *



LUCIANO SQUARE

bulb not included

NC1760SQ-CH	connect GU10 1x Max 50W - included
aluminium	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7cm

COLOUR

- CHROME (CH)
- WHITE (WH)



CH

WH

CH

WH



CH *


LUCIANO ROUND

bulb not included

**PRODUCT CODE	connect GU10 1x Max 50W - included
aluminium	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7cm

COLOUR

- CHROME (CH) - ** NC1760R-CH
- WHITE (WH) - ** NC1760R-WH



CH *


BIAGIO

bulb not included

NC571-CH	connect GU10 1x Max 50W - included
aluminum / glass	connect MR16 1x Max 50W (option)
IP44	installation place
group energy label	inlet opening Ø 6,5cm

COLOUR

- GOLD (GO)
- CHROME (CH)



GO



* - EXPLANATION SHORTCUT PAGE 2 (E)



CH



WH-MATT *


LORENZA

bulb not included

NC1777-WH	connect GU10 1x Max 50W - included
aluminium	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,0cm

COLOUR

- WHITE MATT (WH)
- CHROME (CH)



* - EXPLANATION SHORTCUT PAGE 2 (E)



CH



WH-MATT *


LORENZO

bulb not included

NC1778-W	connect GU10 1x Max 50W - included
aluminium	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,0cm

COLOUR

- WHITE MATT (WH)
- CHROME (CH)





CH *


ESTER 1

bulb not included

DM1000-1-CH	connect GU10 1x Max 50W - included
iron / crystal	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 6,5cm

COLOUR

- GOLD (GO)
- CHROME (CH)



GO *


ESTER 1

bulb not included

DM1000-1-G	connect GU10 1x Max 50W - included
iron / crystal	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 6,5cm

COLOUR

- GOLD (GO)
- CHROME (CH)



CH *


ESTER 2

bulb not included

**PRODUCT CODE	connect GU10 1x Max 50W - included
iron / crystal	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 6,5cm

COLOUR

- CHROME (CH) - ** DM1000-2-CH
- GOLD (GO) - ** DM1000-2-GO



CH

GO

* - EXPLANATION SHORTCUT PAGE 2 (E)





CLARE GLASS *

VEKTOR ROUND

bulb not included

SC760R-A	connect GU10 1x Max 50W - included
aluminium / crystal	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 6,5cm

COLOUR

CLARE GLASS



* - EXPLANATION SHORTCUT PAGE 2 (E)



CLARE GLASS *

VEKTOR SQUARE

bulb not included

SC760SQ-A	connect GU10 1x Max 50W - included
aluminium / crystal	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening Ø 6,5cm

COLOUR

CLARE GLASS



CLARE GLASS *



VEKTOR 2 SQUARE

bulb not included

SC760SQ-A2	connect GU10 1x Max 50W - included
aluminium / crystal	connect MR16 1x Max 50W (option)
IP20	installation place
group energy label	inlet opening 6,5x15cm

COLOUR

CLARE GLASS







MARIKA

bulb not included

**PRODUCT CODE	connect GU10 1x 7W	
aluminium / crystal		
IP20	installation place	
group energy label	inlet opening	Ø 8cm

COLOUR

- ROSE GOLD (RG) – ** SH-008 3000K / 4000K
- ANTIQUE BROWN (AB) – ** SH-009 3000K / 4000K



RG

AB




GO / CH / BK *

ELEGANT LED GU10 7W 3000K/4000K

**PRODUCT CODE	GU10 7W 230V RA>90	
aluminium / crystal		
IP20	installation place	
group energy label		

COLOUR

- CHROME – ** LL110076 (3000K) / LL210702 (4000K)
- BLACK CHROME – ** LL110078 (3000K) / LL210074 (4000K)
- GOLD – ** LL110077 (3000K) / LL210073 (4000K)



**ELEGANT BULB LED GU10 7W
DEDICATED
FOR EXCLUSIVE DOWNLIGHTS SERIES**


DOWNlights



DOWNLIGHTS




HUGO1DOWN.84



REMO1DOWN.86



PABLO 87



CARLO 88



EDITTA 89



OSCAR 90




CESAR 91



EMILIO 92



EZIO 93



IVO 94



PACO 96



PIO 97



CARO 98



SIRO 100




SISTO 101



STAN 102



TITO 103



IBIZA 104



MINORKA 105



REMI 106



OKA 107



LINDA 108

HUGO 1 DOWNLIGHT

Downlights



WH / BK *


HUGO 1 DOWNLIGHT

bulb not included

GM2118S	connect MR16 1x Max.50W - included
aluminium	connect GU10 1x Max.50W (option)
IP20	installation place
group energy label	inlet opening Ø 6cm

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- CHROME (CH)



REMO R

bulb not included

GM4103 R	
aluminium	
IP20	installation place
group energy label	inlet opening

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- GOLD (GO)
- CHAMPAGNE (CHA)
- CHROME (CH)



HUGO 2 DOWNLIGHT

Downlights



WH / BK *


HUGO 2 DOWNLIGHT

bulb not included

GM2203S	connect MR16 2x Max.50W - included
aluminium	connect GU10 2x Max.50W (option)
IP20	installation place
group energy label	inlet opening 10,5x22,5cm

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- CHROME (CH)



* - EXPLANATION SHORTCUT PAGE 2 (E)

REMO 1 DOWNLIGHT

Downlights



ALU / WH *


REMO 1 DOWNLIGHT

bulb not included

GM2118R	connect MR16 1x Max.50W - included	<input checked="" type="checkbox"/>
aluminium	connect GU10 1x Max.50W (option)	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/>

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- CHROME (CH)





REMO R

bulb not included

GM4103 R		<input checked="" type="checkbox"/>
aluminium		<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/>

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- GOLD (GO)
- CHAMPAGNE (CHA)
- CHROME (CH)



ALU *


PABLO

bulb not included

GM2107	connect MR16 1x Max.50W - included	<input checked="" type="checkbox"/>
metal / aluminium	connect GU10 1x Max.50W (option)	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/>

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)



WH

ALU

* - EXPLANATION SHORTCUT PAGE 2 (E)




CARLO

bulb not included


GM2102	connect MR16 1x Max.50W - included
metal / aluminium	connect GU10 1x Max.50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,7cm

COLOUR

- ALUMINIUM (ALU)
 WHITE (WH)




TILT 90° ROTATION 360°



WH



ALU




EDITTA

bulb not included


GM2110	connect MR16 1x Max.50W - included
metal / aluminium	connect GU10 1x Max.50W (option)
IP20	installation place
group energy label	inlet opening Ø 7,7cm

COLOUR

- ALUMINIUM (ALU)
 WHITE (WH)



TILT 90° ROTATION 360°



WH

ALU






OSCAR IP44

bulb not included

GM2117	connect MR16 1x Max 50W - included	<input checked="" type="checkbox"/>
metal	connect GU10 1x Max 50W (option)	<input checked="" type="checkbox"/>
IP44	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	<input checked="" type="checkbox"/> Ø 7cm

COLOUR

- WHITE (WH)
- CHROME (CH)





CESAR

bulb not included

GM2113	connect MR16 1x Max. 50W - included	<input checked="" type="checkbox"/>
aluminium		
IP20	installation place	<input checked="" type="checkbox"/>
group energy label	inlet opening	<input checked="" type="checkbox"/> 7x7cm

COLOUR

- CHROME (CH)



* - EXPLANATION SHORTCUT PAGE 2 (E)

EMILIO

Downlights



CH *


EMILIO

bulb not included

GM2104	connect MR16 1x Max.50W - included
metal / aluminium	connect GU10 1x Max.50W (option)
IP54	installation place
group energy label	inlet opening Ø 7cm

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- CHROME (CH)



BK

WH

ALU

CH



EZIO

Downlights



WH *



EZIO

bulb not included

GM2105	connect MR16 1x Max.50W - included
metal / aluminium	connect GU10 1x Max.50W (option)
IP54	installation place
group energy label	inlet opening Ø 6cm

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- CHROME (CH)



ALU

BK

CH

WH



* - EXPLANATION SHORTCUT PAGE 2 (E)

IVO

Downlights




IVO

bulb not included

GM2100	connect MR16 1x Max.50W - included
metal / aluminium	connect GU10 1x Max.50W (option)
IP20	installation place
group energy label	inlet opening Ø6cm

COLOUR


- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)
- CHROME (CH)



* - EXPLANATION SHORTCUT PAGE 2 (E)

IVO SQUARE

Downlights




IVO SQUARE

bulb not included

GM2100	connect MR16 1x Max.50W - included
metal / aluminium	connect GU10 1x Max.50W (option)
IP20	installation place
group energy label	inlet opening Ø6cm

COLOUR

- CHROME (CH)
- WHITE (WH)





IVO 2 SQUARE


bulb not included

GM2100	connect MR16 2x Max.50W - included
metal / aluminium	connect GU10 2x Max.50W (option)
IP20	installation place
group energy label	inlet opening 6x14,5cm

COLOUR

- CHROME (CH)
- WHITE (WH)







PACO 1

bulb not included

GM2103	connect MR16 1x Max.50W - included
metal / aluminium	connect GU10 1x Max.50W (option)
IP20	installation place
group energy label	inlet opening 7,5x7,5cm

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)





PACO 2

bulb not included

GM2201	connect MR16 2x Max.50W - included
metal / aluminium	connect GU10 2x Max.50W (option)
IP20	installation place
group energy label	inlet opening 7,5x15,8cm

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)




PACO 3

bulb not included

GM2301	connect MR16 3x Max.50W - included
metal / aluminium	connect GU10 3x Max.50W (option)
IP20	installation place
group energy label	inlet opening 7,5x23,7cm

COLOUR

- ALUMINIUM (ALU)
- BLACK (BK)
- WHITE (WH)



* - EXPLANATION SHORTCUT PAGE 2 (E)




PIO

bulb not included

GM2108 BK	connect MR16 1x Max.50W - included
metal / aluminium	connect GU10 1x Max.50W (option)
IP20	installation place
group energy label	inlet opening 6,5x6,5cm

COLOUR

- WHITE (WH)
- BLACK (BK)
- CHROME (CH)





PIO 2

bulb not included

GM2208	connect MR16 2x Max.50W - included
metal / aluminium	connect GU10 2x Max.50W (option)
IP20	installation place
group energy label	inlet opening 6,5x14,5cm

COLOUR

- WHITE (WH)
- BLACK (BK)
- CHROME (CH)






CARO R

bulb not included

**PRODUCT CODE	connect GU10 1x Max. 40W
metal / aluminium	
IP20	installation place
group energy label	inlet opening Ø7cm

COLOUR

- ALUMINIUM (ALU) – ** SN-6810R-ALU
- BLACK (BK) – ** SN-6810R-BK
- WHITE (WH) – ** SN-6810R-WH



* - EXPLANATION SHORTCUT PAGE 2 (E)





CARO SQUARE

bulb not included

**PRODUCT CODE	connect GU10 1x Max. 40W
metal / aluminium	
IP20	installation place
group energy label	inlet opening Ø8cm

COLOUR

- ALUMINIUM (ALU) – ** SN-6811S-ALU
- BLACK (BK) – ** SN-6811S-BK
- WHITE (WH) – ** SN-6811S-WH





CARO 2 SQUARE

bulb not included

**PRODUCT CODE	connect GU10 1x Max. 40W
metal / aluminium	
IP20	installation place
group energy label	inlet opening 8x16 cm

COLOUR

- ALUMINIUM (ALU) – ** SN-6812S-ALU
- BLACK (BK) – ** SN-6812S-BK
- WHITE (WH) – ** SN-6812S-WH





CARO 3 SQUARE

bulb not included

**PRODUCT CODE	connect GU10 1x Max. 40W
metal / aluminium	
IP20	installation place
group energy label	inlet opening 8x24 cm

COLOUR

- ALUMINIUM (ALU) – ** SN-6813S-ALU
- BLACK (BK) – ** SN-6813S-BK
- WHITE (WH) – ** SN-6813S-WH





CARO 4 SQUARE

bulb not included

**PRODUCT CODE	connect GU10 1x Max. 40W
metal / aluminium	
IP20	installation place
group energy label	inlet opening 16x16 cm

COLOUR

- ALUMINIUM (ALU) – ** SN-6814S-ALU
- BLACK (BK) – ** SN-6814S-BK
- WHITE (WH) – ** SN-6814S-WH





BK / ALU *



SIRO 1

bulb not included

GM2101	connect AR111 1x Max.50W (not inc.)
metal / aluminium	
IP20	installation place
group energy label	inlet opening Ø 14,5cm

COLOUR

- ALUMINIUM (ALU)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE (WH)



WH *



SIRO 2

bulb not included

GM2200	connect AR111 2x Max.50W (not inc.)
metal / aluminium	
IP20	installation place
group energy label	inlet opening 31,5x14,5cm

COLOUR

- ALUMINIUM (ALU)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE (WH)



ALU *



SIRO 3

bulb not included

GM2300	connect AR111 3x Max.50W (not inc.)
metal / aluminium	
IP20	installation place
group energy label	inlet opening 48x14,5cm

COLOUR

- ALUMINIUM (ALU)
- BLACK / ALUMINIUM (BK / ALU)
- WHITE (WH)



ALU *



SISTO 1 **

bulb not included

GM2109	connect AR111 1x Max.50W (not inc.)
metal / aluminium	
IP20	installation place
group energy label	inlet opening 16x16cm

COLOUR

- ALUMINIUM (ALU)
- WHITE / BLACK (WH/BK)



WH / BK

ALU

WH / BK

ALU



ALU *



SISTO 2 **

bulb not included

GM2202	connect AR111 2x Max.50W (not inc.)
metal / aluminium	
IP20	installation place
group energy label	inlet opening 32x16cm

COLOUR

- ALUMINIUM (ALU)
- WHITE / BLACK (WH/BK)



* - EXPLANATION SHORTCUT PAGE 2 (E)

** - THE PRODUCT IS NOT DISTRIBUTED ON THE TERRITORY OF POLAND





STAN

bulb not included

GM2111	connect AR111 1x Max.50W (not inc.)
metal / aluminium	
IP20	installation place
group energy label	inlet opening Ø 14,5cm

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)




TITO

bulb not included

GM2106	connect MR16 1x Max.50W - included
metal / aluminium	connect GU10 1x Max.50W (option)
IP54	installation place
group energy label	inlet opening Ø 6cm

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH / BK *




IBIZA

bulb not included

GM2114 WH/BK	connect MR16 1x Max.50W - included
aluminium	connect GU10 1x Max.50W (option)
IP20	installation place
group energy label	inlet opening Ø8,5cm

COLOUR

WHITE / BLACK (WH / BK)



WH / BK



WH / BK *



MINORKA

bulb not included

GM2115 WH/BK	connect MR16 1x Max.50W - included
aluminium	connect GU10 1x Max.50W (option)
IP20	installation place
group energy label	inlet opening Ø9cm

COLOUR

WHITE / BLACK (WH / BK)



* - EXPLANATION SHORTCUT PAGE 2 (E)




REMI

bulb not included

GM2116 WH	connect MR16 1x Max.50W - included	<input type="checkbox"/>
aluminium	connect GU10 1x Max.50W (option)	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/> Ø9cm

COLOUR

WHITE (WH)



TILT 30°




OKA AL 3000K/ 4000K

bulb included

** PRODUCT CODE	LED 3W 3000K RA>90 250lm	<input type="checkbox"/>
aluminium	LED 3W 4000K RA>90 260lm	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/> Ø3cm

COLOUR

- WHITE 3000K (WH) - ** SHAC-3W3000
- WHITE 4000K (WH) - ** SHAC-3W4000




OKA AC 3000K/ 4000K

bulb included

** PRODUCT CODE	LED 3W 3000K RA>90 250lm	<input type="checkbox"/>
acrylic	LED 3W 4000K RA>90 260lm	<input type="checkbox"/>
IP20	installation place	<input type="checkbox"/>
group energy label	inlet opening	<input type="checkbox"/> Ø3cm

COLOUR

- ACRYLIC 3000K (AC) - ** SHAC-3W3000
- ACRYLIC 4000K (AC) - ** SHAC-3W4000






LINDA 12 3000K/4000K

bulb included

**PRODUCT CODE	LED 6W 3000K RA>90 500lm	
aluminium	LED 6W 4000K RA>90 520lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) - ** SH673000-6-WH / SH674000-6-WH
- CHROME (CH) - ** SH683000-6-CH / SH684000-6-CH




LINDA 17 3000K/4000K

bulb included

**PRODUCT CODE	LED 12W 3000K RA>90 1000lm	
aluminium	LED 12W 4000K RA>90 1050lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) - ** SH693000-12-WH / SH694000-12-WH
- CHROME (CH) - ** SH703000-12-CH / SH704000-12-CH



LINDA 23 3000K/4000K

bulb included

**PRODUCT CODE	LED 18W 3000K RA>90 1500lm	
aluminium	LED 18W 4000K RA>90 1570lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) - ** SH713000-18-WH / SH714000-18-WH
- CHROME (CH) - ** SH723000-18-CH / SH724000-18-CH




LINDA 30 3000K/4000K

bulb included

**PRODUCT CODE	LED 24W 3000K RA>90 2010lm	
aluminium	LED 24W 4000K RA>90 2100lm	
IP20	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH) - ** SH733000-24-WH / SH734000-24-WH
- CHROME (CH) - ** SH743000-24-CH / SH744000-24-CH



* - EXPLANATION SHORTCUT PAGE 2 (E)

INDOOR

wall lamps



VEGA

112



GRACIA

113



ARCHO


114



GAMBINO

116

INDOOR WALL LAMPS



GAMBINO 2

117



LETICIA

118



LETICIA 2

120




LETICIA 2 LED

121



AVON

122



CLOVER

123



GINNO

124



VIGO

126



LATONA

127



TORCH

128



CONO

129



RAUL

130



SCATOLA

131



RAMONA

132



FELIX

133



MARS

134



VENUS

135



VIDAL

136



VIALETTO

137



VERONICA

138




ANCONAS

139



BLAS

140



PORTO 1

141



FARO

142



ANGUS

143





VEGA

bulb not included

GM1121	connect G9 1x Max. 40W	
metal / aluminium / glass		
IP20	installation place	
group energy label	inlet opening	

COLOUR

- BLACK / GOLD (BK / GO)
- WHITE (WH)
- CHROME (CH)
- ANODISED GOLD (AGO)




GRACIA

bulb included

MB3352	LED SMD 5W 3000K	
metal / aluminium		
IP20	installation place	
group energy label	300 lm	

COLOUR

- WHITE / WHITE (WH / WH)
- BLACK / GOLD (BK / GO)






ARCHO A

bulb included

AX6068-18W	connect G24-D2 1x Max.18W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

ALUMINIUM (ALU)





ARCHO B

bulb included

AX6068-36W	connect PL-L 1x Max.36W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

ALUMINIUM (ALU)




ARCHO C

bulb included

AX6068-55W	connect PL-L 1x Max.55W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

ALUMINIUM (ALU)




ARCHO 2A

bulb included

AX6068-18W	connect G24-D2 1x Max.18W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

CHROME (CH)




ARCHO 2B

bulb included

AX6068-36W	connect PL-L 1x Max.36W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

CHROME (CH)



ARCHO 2C

bulb included


AX6068-55W	connect PL-L 1x Max.55W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

CHROME (CH)



* - EXPLANATION SHORTCUT PAGE 2 (E)




GAMBINO

bulb integrated


LC8005	LED 6W 3000K	
metal / aluminium		
IP44	installation place	
group energy label	320 lm	

COLOUR


BRIGHT GRAY (BGR)



TWO ADJUSTABLE LIGHT ANGLE TILT 90°



TWO ADJUSTABLE LIGHT ANGLE




GAMBINO (N)

bulb included


** PRODUCT CODE	LED 6W 3000K	
metal / aluminium		
IP44	installation place	
group energy label	320 lm	

COLOUR

WHITE (WH) - ** LC8005-WH (N)
 BRIGHT GRAY (BGR) - ** LC8005-BGR (N)
 DARK GRAY (DGR) - ** LC8005-DGR (N)




FOUR ADJUSTABLE LIGHT ANGLE TILT 90°



FOUR ADJUSTABLE LIGHT ANGLE



* - EXPLANATION SHORTCUT PAGE 2 (E)




GAMBINO 2

bulb included



LC8005-2WH	LED 2x 6W 3000K 840lm	
metal / aluminium		
IP44	installation place	
group energy label		


COLOUR

WHITE (WH)




EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°





WH *




LETICIA

bulb not included

GM1111	connect G9 1x Max. 40W
metal / aluminium	
IP20	installation place
group energy label	

COLOUR

- WHITE (WH)
- ALUMINIUM (ALU)
- ANODISED GOLD (AGO)



TWO ADJUSTABLE LIGHT ANGLE TILT 90°

TWO ADJUSTABLE LIGHT ANGLE



* - EXPLANATION SHORTCUT PAGE 2 (E)






LETICIA 2

bulb not included

GM1112	connect G9 1x Max.40W	
metal		
IP20	installation place	
group energy label	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)



TWO ADJUSTABLE LIGHT ANGLE TILT 90°



ALU

WH




LETICIA 2 LED

bulb included


GM1112	LED 6W 3000K 420lm	
metal		
IP54	installation place	
group energy label	inlet opening	

COLOUR

- BRIGHT GRAY (BGR)
- DARK GRAY (DGR)
- WHITE (WH)



FOUR ADJUSTABLE LIGHT ANGLE TILT 90°






AVON

bulb included

**PRODUCT CODE	LED 5W 3000K 385lm	LED
aluminium		
IP20	installation place <input checked="" type="checkbox"/>	
group energy label		

COLOUR

- BLACK (BK) - ** GW-6100-BK
- WHITE (WH) - ** GW-6100-WH
- GOLD (GO) - ** GW-6100-GO



TILT 90° ROTATION 360°




CLOVER

bulb included

**PRODUCT CODE	LED 12W 3000K 840lm	LED
metal / aluminium		
IP20	installation place <input checked="" type="checkbox"/>	
group energy label		

COLOUR

- BLACK (BK) - ** GW-6809-BK
- WHITE (WH) - ** GW-6809-WH





GINNO 1

bulb integrated

GM1100	LED 2x 1W 3000K	
metal / aluminium		
IP20	installation place	
group energy label	160 lm	

COLOUR

- WHITE / ALUMINIUM (WH / ALU)
- ALUMINIUM (ALU)




GINNO 2

bulb integrated

GM1200	LED 4x 1W 3000K	
metal / aluminium		
IP20	installation place	
group energy label	320 lm	

COLOUR

- WHITE / ALUMINIUM (WH / ALU)
- ALUMINIUM (ALU)




GINNO 3

bulb integrated


GM1300	LED 6x 1W 3000K	
metal / aluminium		
IP20	installation place	
group energy label	440 lm	

COLOUR

- WHITE / ALUMINIUM (WH / ALU)
- ALUMINIUM (ALU)



* - EXPLANATION SHORTCUT PAGE 2 (E)




VIGO

bulb included

**PRODUCT CODE	LED 6W 3000K 420lm	
aluminium		
IP54	installation place <input checked="" type="checkbox"/>	
group energy label		

COLOUR

- BLACK (BK) - ** GW-608-BK
- WHITE (WH) - ** GW-608-WH




LATONA

bulb included

**PRODUCT CODE	LED 10W 3000K 800lm	
aluminium		
IP20	installation place <input checked="" type="checkbox"/>	
group energy label		

COLOUR

- BLACK (BK) - ** GW-681-BK
- WHITE (WH) - ** GW-681-WH






TORCH

bulb included


** PRODUCT CODE	LED 6W 3000K 420lm	
aluminium		
IP54	installation place	
group energy label		

COLOUR

- BLACK (BK) - ** GW-609-BK
- WHITE (WH) - ** GW-609-WH



TILT 90°




CONO

bulb integrated

MB5770M	LED 9W 3000K	
metal / aluminium		
IP20	installation place	
group energy label	720 lm	

COLOUR

- WHITE (WH)





RAUL

bulb not included

GM1107	connect G9 1x Max.40W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)
- CHROME (CH)



ALU



WH




SCATOLA

bulb integrated

MB5798S	LED 12W 3000K	
metal / aluminium		
IP20	installation place	
group energy label	720 lm	

COLOUR

- WHITE (WH)



* - EXPLANATION SHORTCUT PAGE 2 (E)





RAMONA 1

bulb included

SN-1118	LED 6W 3000K 500lm	
aluminium		
IP20	installation place	
group energy label		

COLOUR

WHITE (WH)





RAMONA 2

bulb included

SN-1218	LED 2X 6W 3000K 500lm	
aluminium		
IP20	installation place	
group energy label		

COLOUR

WHITE (WH)



FELIX S


bulb included

SN-1036S	LED 6W 3000K 500lm	
aluminium		
IP20	installation place	
group energy label		

COLOUR

WHITE (WH)

GOLD (GO)




FELIX L

bulb included

SN-1036L	12W 3000K 1008lm	
aluminium		
IP20	installation place	
group energy label		

COLOUR

WHITE (WH)




FELIX M

bulb included

SN-1036M	LED 6W 3000K 500lm	
aluminium		
IP20	installation place	
group energy label		

COLOUR

WHITE (WH)




MARS

Indoor wall lamps



ALU *



WH

ALU

WH/GO

BK/GO

MARS

bulb not included

GM1109	connect G9 1x Max.40W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)
- WHITE / GOLD (WH/GO)
- BLACK / GOLD (BK/GO)



VENUS

Indoor wall lamps



ALU *



WH

VENUS

bulb not included


GM1110	connect G9 1x Max.40W	
metal / aluminium		
IP20	installation place	
group energy label	inlet opening	

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)



* - EXPLANATION SHORTCUT PAGE 2 (E)



VIDAL

bulb not included

GM1104	connect G9 1x Max.40W	
metal / aluminium		
IP20	installation place	
group energy label		

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)



* - EXPLANATION SHORTCUT PAGE 2 (E)






VIALETTTO L

bulb integrated

MB5796S-A	LED 12W 3000K	
metal / aluminium		
IP20	installation place	
group energy label	965 lm	

COLOUR

- BLACK (BK)
- WHITE (WH)
- CHROME (CH)




VIALETTTO R

bulb integrated

MB5796S-B	LED 12W 3000K	
metal / aluminium		
IP20	installation place	
group energy label	965 lm	

COLOUR

- BLACK (BK)
- WHITE (WH)
- CHROME (CH)





WARRANTY
5 YEARS
INTEGRATED
LED





VERONICA

bulb integrated

MB459-Z	LED 1x 3W 3000K	
metal / aluminium		
IP44	installation place	
group energy label	150 lm	

COLOUR

- WHITE (WH)
- BLACK (BK)
- CHROME (CH)



* - EXPLANATION SHORTCUT PAGE 2 (E)




ANCONA S

bulb included

** PRODUCT CODE	LED 6W 3000K 445lm	
metal / aluminium		
IP54	installation place	
group energy label		

COLOUR

- WHITE (WH) - ** GW-8664S
- BLACK (BK) - ** GW-8663S





ANCONA M

bulb included

** PRODUCT CODE	LED 6W 3000K 445lm	
metal / aluminium		
IP54	installation place	
group energy label		

COLOUR


- WHITE (WH) - ** GW-8664M
- BLACK (BK) - ** GW-8663M



* - EXPLANATION SHORTCUT PAGE 2 (E)



WARRANTY
5 YEARS
INTEGRATED
LED




BLAS

bulb included

GM1105	connect G9 1x Max.40W	
metal / aluminium / glass		
IP20	installation place	
group energy label		

COLOUR

- ALUMINIUM (ALU)
- WHITE (WH)




PORTO 1

bulb integrated

MB3357/1	LED 1x 3W	
metal / acryl		
IP20	installation place	
group energy label	330 lm	

COLOUR

- ALUMINIUM (ALU)



PORTO 2

bulb integrated

MB3357/2	LED 2x 3W	
metal / acryl		
IP20	installation place	
group energy label	660 lm	

COLOUR

- ALUMINIUM (ALU)







FARO

bulb included

SN-6326	LED 6W 420lm	
metal / aluminium	+ LED 3W 3000K 250LM	
IP20	installation place	
group energy label		

COLOUR

SATIN NICKEL (NI)





ANGUS

bulb included

**PRODUCT CODE	LED 3W 3000K 250lm	
aluminium		
IP20	installation place	
group energy label		

COLOUR

WHITE (WH) - ** SN-6408
 CHROME (CH) - ** SN-6409



OUTDOOR

wall lamps



OUTDOOR WALL LAMPS



RIMINI 146



CREMONA 147



FANO 148



FONS 149



LIVIO 2 150



MATERA 151



LUCA 152



TONIO 153



ZITA 154



FRAME 156





RIMINI 1

bulb not included

**PRODUCT CODE	connect GU10 1x MAX 35W
aluminium	
IP54	installation place
group energy label	EE 5

COLOUR

- DARK GRAY (DGR) – ** MAX-1171-DGR
- WHITE (WH) – ** MAX-1171-WH





RIMINI 2

bulb not included

**PRODUCT CODE	connect GU10 2x MAX 35W
aluminium	
IP54	installation place
group energy label	EE 5

COLOUR

- DARK GRAY (DGR) – ** MAX-1172-DGR
- WHITE (WH) – ** MAX-1172-WH




CREMONA S

bulb included

**PRODUCT CODE	LED 6W 3000K 340lm
aluminium	
IP54	installation place
group energy label	EE 5

COLOUR

- DARK GRAY (DGR) – ** MAX-1015S-DGR
- WHITE (WH) – ** MAX-1015S-WH




CREMONA M

bulb included

MAX-1016M	LED 6W 3000K 340lm
aluminium	
IP54	installation place
group energy label	EE 7

COLOUR

- DARK GRAY (DGR) – ** MAX-1016M-DGR
- WHITE (WH) – ** MAX-1016M-WH






FANO SQUARE

bulb included

MAX-1316S	LED 9W 3000K 750lm	
aluminium		
IP54	installation place	
group energy label		

COLOUR

DARK GRAY (DGR)



TILT180°




FANO R

bulb included

MAX-1316R	LED 9W 3000K 750lm	
aluminium		
IP54	installation place	
group energy label		

COLOUR

DARK GRAY (DGR)



TILT180°




FONS

bulb not included

GM1108	connect GU10 1x Max.50W	
metal / aluminium		
IP65	installation place	
group energy label	inlet opening	

COLOUR

DARK GRAY (DGR)
 BRIGHT GRAY (BGR)







LIVIO 2

bulb not included

GM1101-2	connect GU10 2x Max.50W	
metal / aluminium		
IP54	installation place	
group energy label	inlet opening	

COLOUR

- BLACK (BK)
- BRIGHT GRAY (BGR)
- DARK GRAY (DGR)




MATERA 600

bulb not included

MAX-1382	connect GU10 1x Max. 35W	
aluminium		
IP54	installation place	
group energy label		

COLOUR

- DARK GRAY (DGR)



TILT 90°




MATERA WALL

bulb not included

MAX-1381	connect GU10 1x Max. 35W	
metal / aluminium		
IP54	installation place	
group energy label		

COLOUR

- DARK GRAY (DGR)



TILT 90°







LUCA

bulb not included

GM1102	connect GU10 2x Max.50W	
metal / aluminium		
IP54	installation place	
group energy label	inlet opening	

COLOUR

- DARK GRAY (DGR)
- BRIGHT GRAY (BGR)



* - EXPLANATION SHORTCUT PAGE 2 (E)




TONIO

bulb not included

GM4105	connect GU10 1x Max.50W	
metal / aluminium		
IP54	installation place	
group energy label	inlet opening	

COLOUR

- WHITE (WH)





ZITA

bulb integrated

GM1103	LED 2x 3W	
metal / aluminium		
IP44	installation place	
group energy label	440 lm	

COLOUR

DARK GRAY (DGR)



ZITA XL


bulb integrated

** PRODUCT CODE	LED 6W 3000K 315lm	
metal / aluminium		
IP54	installation place	
group energy label		

COLOUR

DARK GRAY (DGR) - ** GW-806XL

BRIGHT GRAY (BGR) - ** GW-807XL



* - EXPLANATION SHORTCUT PAGE 2 (E)






FRAME WALL

bulb included

**PRODUCT CODE	LED 8W 800lm IP54	
aluminium		
IP54	installation place	
group energy label		

COLOUR

- DARK GRAY (DGR) - ** A-415-DGR
- BRIGHT GRAY (BGR) - ** A-415-BGR
- WHITE (WH) - ** A-415-WH




FRAME SPIKE

bulb included

**PRODUCT CODE	LED 8W 800lm IP54	
aluminium		
IP54	installation place	
group energy label		

COLOUR

- DARK GRAY (DGR) - ** A-414-DGR
- BRIGHT GRAY (BGR) - ** A-414-BGR




FRAME 70

bulb included


**PRODUCT CODE	LED 8W 800lm IP54	
aluminium		
IP54	installation place	
group energy label		

COLOUR

- DARK GRAY (DGR) - ** A-700-DGR
- BRIGHT GRAY (BGR) - ** A-700-BGR



LED panels



LED PANELS



PANEL 60 **160**



WH / ALU *



PANEL 60 3000K ALU TOP

bulb integrated

PL-6060	LED 40W, 4400 - 4600LM	
aluminium / acryl		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE / ALUMINIUM (WH / ALU)




ALU *

PANEL FRAME

PL-AK02	
aluminium	

COLOUR

ALUMINIUM (ALU)



WH / ALU *


PANEL 60 4300K ALU TOP

bulb integrated

PL-6060	LED 40W, 4400 - 4600LM	
aluminium / acryl		
IP20	installation place	
group energy label	inlet opening	

COLOUR

WHITE / ALUMINIUM (WH / ALU)



PANEL REMOTE CONTROLLER & DRIVER (PL-AK03)



PANEL PENDANT ACCESSORIES (PL-AK01)



PANEL 60



PANEL 60 + PANEL FRAME (PL-AK02)



PANEL 60 + PANEL PEDANT ACCESSORIES (PL-AK01)

* - EXPLANATION SHORTCUT PAGE 2 (E)



LED TUBES, LED GRILL & HERMETIC LAMPS

LED tubes

LED Grill & Hermetic lamps



LED TUBE 60 4300K **164**



LED TUBE 60 6400K **164**



LED TUBE 120 4300K **164**



LED TUBE 120 6400K **164**



LED TUBE 150 4300K **164**



LED TUBE 150 6400K **164**



GRILL LAMP SURFACE 1200 **165**



GRILL LAMP CONCEALED 1200 **165**



GRILL LAMP SURFACE 600 **165**



GRILL LAMP CONCEALED 600 **165**



HERMETIC LAMP SURFACE 1200 **165**

LED TUBE 600MM 4300K

200°

G13 830lm 9W 4300 K NO DIMM 50 000 h 26 mm 1000 mm 80 mm RA ≥ 80 180-240V 50/60Hz INTERIOR ON < 0,2s ≥25 000x

ENERGY LABEL: A+ (9 kWh/1000h)

LED TUBE 600MM 6400K

200°

G13 850lm 9W 6400 K NO DIMM 50 000 h 26 mm 1000 mm 80 mm RA ≥ 80 180-240V 50/60Hz INTERIOR ON < 0,2s ≥25 000x

ENERGY LABEL: A+ (9 kWh/1000h)

LED TUBE 1200MM 4300K

200°

G13 1600lm 18W 4300 K NO DIMM 50 000 h 26 mm 1000 mm 1200 mm 80 mm RA ≥ 80 180-240V 50/60Hz INTERIOR ON < 0,2s ≥25 000x

ENERGY LABEL: A+ (18 kWh/1000h)

LED TUBE 1200MM 6400K

200°

G13 1650lm 18W 6400 K NO DIMM 50 000 h 26 mm 1000 mm 1200 mm 80 mm RA ≥ 80 180-240V 50/60Hz INTERIOR ON < 0,2s ≥25 000x

ENERGY LABEL: A+ (18 kWh/1000h)

LED TUBE 1500MM 4300K

200°

G13 2200lm 24W 4300 K NO DIMM 50 000 h 26 mm 1000 mm 1500 mm 80 mm RA ≥ 80 180-240V 50/60Hz INTERIOR ON < 0,2s ≥25 000x

ENERGY LABEL: A+ (24 kWh/1000h)

LED TUBE 1500MM 6400K

200°

G13 2250lm 24W 6400 K NO DIMM 50 000 h 26 mm 1000 mm 1500 mm 80 mm RA ≥ 80 180-240V 50/60Hz INTERIOR ON < 0,2s ≥25 000x

ENERGY LABEL: A+ (24 kWh/1000h)

LED GRILL LAMP SURFACE 1200MM

2x T8 G13 230V 50/60Hz NO LIQUIDS INTERIOR 1200 mm 390 mm 80 mm

ENERGY LABEL: A (7 kWh/1000h)

LED GRILL LAMP CONCEALED 1200MM

2x T8 G13 230V 50/60Hz NO LIQUIDS INTERIOR 1200 mm 390 mm 80 mm

ENERGY LABEL: A (7 kWh/1000h)

LED GRILL LAMP SURFACE 600MM

4x T8 G13 230V 50/60Hz NO LIQUIDS INTERIOR 600 mm 390 mm 80 mm

ENERGY LABEL: A (7 kWh/1000h)

LED GRILL LAMP CONCEALED 600MM


4x T8 G13 230V 50/60Hz NO LIQUIDS INTERIOR 600 mm 390 mm 80 mm

ENERGY LABEL: A (7 kWh/1000h)

LED HERMETIC LAMP SURFACE 1200MM


IP65 2x T8 G13 230V 50/60Hz NO LIQUIDS EXTERIOR 1200 mm 120 mm 80 mm

ENERGY LABEL: A (7 kWh/1000h)



LED BULBS

LED bulbs



E27 25W DECORATIVE ST127251
DECORATION bulb

360°

new!

ENERGY CLASS: A

8 kWh/1000h

new

E27 120lm 25W 2200 K DIMMABLE 3 000 h = 2.7h/day 57mm 130mm RA ≥95 220-240V 50/60Hz INTERIOR ON < 0,2s ≥ 6 000x

E27 6W DECORATIVE LED GOLDEN GLASS LL127063
DECORATION LED bulb

360°

new

ENERGY CLASS: A++

2 kWh/1000h

E27 500lm 6W 2200 K NO DIMM 25 000 h = 2.7h/day 55mm 130mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E27 6W DECORATIVE LED SMOKE GLASS LL127064
DECORATION LED bulb

360°

new

ENERGY CLASS: A++

2 kWh/1000h

E27 500lm 6W 2200 K NO DIMM 25 000 h = 2.7h/day 65mm 140mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E27 6W DECORATIVE LED LL127062
DECORATION LED bulb

360°

new

ENERGY CLASS: A++

2 kWh/1000h

E27 500lm 6W 2200 K NO DIMM 25 000 h = 2.7h/day 100mm 140mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E27 6W DECORATIVE LL127061
DECORATION LED bulb

360°

new

ENERGY CLASS: A++

2 kWh/1000h

E27 500lm 6W 2200 K NO DIMM 25 000 h = 2.7h/day 125mm 175mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E27 5W LL127051
LED bulb

360°

new!

ENERGY CLASS: A+

5 kWh/1000h

E27 380lm 5W 3000 K NO DIMM 25 000 h = 2.7h/day 125mm 175mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E27 8W LL127081
LED bulb

360°

new!

ENERGY CLASS: A+

8 kWh/1000h

E27 630lm 8W 3000 K NO DIMM 25 000 h = 2.7h/day 60mm 105mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E27 10W LL127101
LED bulb

360°

new

ENERGY CLASS: A+

10 kWh/1000h

E27 830lm 10W 3000 K NO DIMM 25 000 h = 2.7h/day 60mm 105mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E27 12W LL127121
LED bulb

360°

new

ENERGY CLASS: A+

12 kWh/1000h

E27 990lm 12W 3000 K NO DIMM 25 000 h = 2.7h/day 60mm 105mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E27 15W LL127151
LED bulb

180°

new!

ENERGY CLASS: A+

15 kWh/1000h

E27 1200lm 15W 3000 K NO DIMM 25 000 h = 2.7h/day 95mm 135mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E27 18W LL127181
LED bulb

240°

new!

ENERGY CLASS: A+

18 kWh/1000h

E27 1440lm 18W 3000 K NO DIMM 25 000 h = 2.7h/day 120mm 155mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E14 6W BULB LL114062
LED bulb

180°


new!

ENERGY CLASS: A+

6 kWh/1000h

E14 500lm 6W 3000 K NO DIMM 25 000 h = 2.7h/day 45mm 80mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

E14 6W CANDLE LL114061




180°

E14 **500lm** **6W** **3000 K** **NO DIMM** **25 000 h = 2,7h/day** **37 mm** **RA ≥80** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **6 kWh/1000h**

GU10 4W LL110451
GU10 4W LL110042




120° 38°

GU10 **350lm** **4W** **3000 K** **NO DIMM** **25 000 h = 2,7h/day** **50 mm** **RA ≥80** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **4 kWh/1000h**

GU10 7W LL110072 WHITE




38°

GU10 **500lm** **7W** **3000 K** **NO DIMM** **25 000 h = 2,7h/day** **50 mm** **RA ≥80** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **7 kWh/1000h**

GU10 7W LL110075 BLACK



38°

GU10 **500lm** **7W** **3000 K** **NO DIMM** **25 000 h = 2,7h/day** **50 mm** **RA ≥80** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **7 kWh/1000h**

GU10 7W LL110074
DIMMABLE - 3000K




38°

GU10 **520lm** **7W** **3000 K** **DIMMABLE** **25 000 h = 2,7h/day** **50 mm** **RA ≥80** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **7 kWh/1000h**

GU10 7W LL210074 RA>80 DIMMABLE 4000K
GU10 7W LL210071 RA>90 DIMMABLE 4000K



38°

GU10 **520lm** **7W** **4000 K** **DIMMABLE** **25 000 h = 2,7h/day** **50 mm** **RA ≥80** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **7 kWh/1000h**

GU10 7W LL110073
NO DIM - 3000K



38°

GU10 **520lm** **7W** **3000 K** **NO DIMM** **25 000 h = 2,7h/day** **50 mm** **RA ≥80** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **7 kWh/1000h**

GU10 7W LL210073
NO DIM - 4000K




38°

GU10 **520lm** **7W** **4000 K** **NO DIMM** **25 000 h = 2,7h/day** **50 mm** **RA ≥80** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **7 kWh/1000h**

GU10 7W CHROME ELEGANT LED LL110076
3000K




45°

GU10 **410lm** **7W** **3000 K** **NO DIMM** **25 000 h = 2,7h/day** **50 mm** **RA ≥90** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **7 kWh/1000h**

GU10 7W CHROME ELEGANT LED LL210076
4000K




45°

GU10 **450lm** **7W** **4000 K** **NO DIMM** **25 000 h = 2,7h/day** **50 mm** **RA ≥90** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **7 kWh/1000h**

GU10 7W BLACK ELEGANT LED LL110078
3000K




45°

GU10 **410lm** **7W** **3000 K** **NO DIMM** **25 000 h = 2,7h/day** **50 mm** **RA ≥90** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **7 kWh/1000h**

GU10 7W BLACK ELEGANT LED LL210078
4000K




45°

GU10 **450lm** **7W** **4000 K** **NO DIMM** **25 000 h = 2,7h/day** **50 mm** **RA ≥90** **220-240V 50/60Hz** **INTERIOR** **ON < 0,2s** **≥15 000x**

ENERGY **A+** **A** **A** **B** **C** **D** **E** **7 kWh/1000h**

GU10 7W GOLD ELEGANT LED LL110077
3000K




45°

new

GU10 410lm 7W 3000 K NO DIMM 25 Years 2.7h/day 50 mm 7 mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL153071 7 kWh/1000h

GU10 7W GOLD ELEGANT LED LL210077
4000K



45°

new

GU10 450lm 7W 4000 K NO DIMM 25 Years 2.7h/day 50 mm 7 mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL153071 7 kWh/1000h

MR16 7W LL153071
DIMMABLE



38°

new

GU10 440lm 7W 3000 K DIMMABLE 25 Years 2.7h/day 50 mm 15 mm RA ≥80 12V AC/DC INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL153071 7 kWh/1000h


ADAPTER PAR-16 ADAP111

PAR-16


HOW TO USE:

GU10 + = ES111

MR16 + = QR111



ES111 15W WHITE LL110152
DIMMABLE - 3000K




45°

new

GU10 1150lm 15W 3000 K DIMMABLE 25 Years 2.7h/day 111 mm 11 mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL110152 15 kWh/1000h

ES111 15W WHITE LL210152
DIMMABLE - 4300K




45°

new

GU10 1200lm 15W 4300 K DIMMABLE 25 Years 2.7h/day 111 mm 11 mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL110152 15 kWh/1000h

ES111 15W BLACK LL110151
DIMMABLE - 3000K




45°

new

GU10 1150lm 15W 3000 K DIMMABLE 25 Years 2.7h/day 111 mm 11 mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL110151 15 kWh/1000h

ES111 15W BLACK LL210151
DIMMABLE - 4300K



45°

new

GU10 1200lm 15W 4300 K DIMMABLE 25 Years 2.7h/day 111 mm 11 mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL110151 15 kWh/1000h

ES111 15W GREY LL110153
DIMMABLE - 3000K




45°

new

GU10 1150lm 15W 3000 K DIMMABLE 25 Years 2.7h/day 111 mm 11 mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL110153 15 kWh/1000h

ES111 15W GREY LL210153
DIMMABLE - 4300K




45°

new

GU10 1200lm 15W 4300 K DIMMABLE 25 Years 2.7h/day 111 mm 11 mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL110153 15 kWh/1000h

ES111 16W WHITE LL110161




45°

new

GU10 1150lm 16W 3000 K NO DIMM 25 Years 2.7h/day 111 mm 11 mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL110161 16 kWh/1000h

ES111 16W BLACK LL110162




45°

new

GU10 1150lm 16W 3000 K NO DIMM 25 Years 2.7h/day 111 mm 11 mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIE IN A+ Azzardo LL110162 16 kWh/1000h

QR111 17W WHITE LL153171
NO DIMM - 3000K




45°

G53 1250lm 17W 3000K NO DIMM 25 000 h = 2,7h/day 111mm RA ≥80 12V AC/DC INTERIOR ON < 0,2s ≥15 000x

ENERGIA A+ 17 kWh/1000h

QR111 17W WHITE LL253171
NO DIMM - 4000K



45°

G53 1320lm 17W 4000K NO DIMM 25 000 h = 2,7h/day 111mm RA ≥80 12V AC/DC INTERIOR ON < 0,2s ≥15 000x

ENERGIA A+ 17 kWh/1000h

QR111 17W BLACK LL153172
NO DIMM 3000K



45°

G53 1260lm 17W 3000K NO DIMM 25 000 h = 2,7h/day 111mm RA ≥80 12V AC/DC INTERIOR ON < 0,2s ≥15 000x

ENERGIA A+ 17 kWh/1000h

QR111 17W BLACK LL253172
NO DIMM - 4000K




45°

G53 1320lm 17W 4000K NO DIMM 25 000 h = 2,7h/day 111mm RA ≥80 12V AC/DC INTERIOR ON < 0,2s ≥15 000x

ENERGIA A+ 17 kWh/1000h

QR111 NEW CHROME 15W 12V LL153151
DIMMABLE




48°

G53 750lm 15W 3000K DIMMABLE 40 000 h = 4,3h/day 111mm RA ≥80 12V AC/DC INTERIOR ON < 0,2s ≥25 000x

ENERGIA A+ 15 kWh/2000h

QR111 NEW CHROME 15W 12V LL153152
DIMMABLE




24°

G53 750lm 15W 3000K DIMMABLE 40 000 h = 4,3h/day 111mm RA ≥80 12V AC/DC INTERIOR ON < 0,2s ≥25 000x

ENERGIA A+ 15 kWh/2000h

ES111 NEW CHROME 15W 230V LL110154
DIMMABLE




48°

GU10 800lm 15W 3000K DIMMABLE 40 000 h = 4,3h/day 111mm RA ≥80 220-240V 50/60Hz INTERIOR ON < 0,2s ≥25 000x

ENERGIA A+ 15 kWh/2000h

QR111 NEW CHROME 12W 12V LL110123
NO DIMM - 3000K




24°

G53 480lm 12W 3000K NO DIMM 25 000 h = 2,7h/day 111mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIA A+ 15 kWh/2000h

QR111 NEW CHROME 12W 12V LL210123
NO DIMM - 4000K




24°

G53 560lm 12W 4000K NO DIMM 25 000 h = 2,7h/day 111mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIA A+ 15 kWh/2000h

ES111 NEW CHROME 12W 230V LL110122
DIMMABLE - 3000K




24°

GU10 480lm 12W 3000K DIMMABLE 25 000 h = 2,7h/day 111mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIA A+ 15 kWh/2000h

ES111 NEW CHROME 12W 230V LL210122
DIMMABLE - 4000K




24°

GU10 560lm 12W 4000K DIMMABLE 25 000 h = 2,7h/day 111mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIA A+ 15 kWh/2000h

ES111 NEW CHROME 12W 230V LL110121
NO DIMM - 3000K




24°

GU10 480lm 12W 3000K NO DIMM 25 000 h = 2,7h/day 111mm RA ≥90 220-240V 50/60Hz INTERIOR ON < 0,2s ≥15 000x

ENERGIA A+ 15 kWh/2000h

ES111 NEW CHROME 12W 230V LL210121
NO DIMM - 4000K



24° beam angle

GU10 base

560lm, 12W

4000K

NO DIMM

25 000 h = 2.7h/day

11mm diameter

RA ≥ 80

220-240V 50/60Hz

INTERIOR


ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL109021, A+, 2 kWh/1000h

COLOUR RENDERING INDEX > 90 SIZE RA

G9 2W LL109021



360° beam angle

G9 base

180lm, 2W

3000K

NO DIMM

25 000 h = 2.7h/day

15mm diameter

RA ≥ 80

12V AC/DC

INTERIOR


ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL109021, A+, 2 kWh/1000h

DEDICATED AZZARDO LED BULB 2W G9

G9 2,5W LL109251



360° beam angle

G9 base

200lm, 2,5W

3000K

NO DIMM

25 000 h = 2.7h/day

15mm diameter

RA ≥ 80

220-240V 50/60Hz

INTERIOR


ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL109251, A+, 2,5 kWh/1000h

DEDICATED AZZARDO LED BULB 2,5W G9

G9 4W LL109041



360° beam angle

G9 base

390lm, 4W

3000K

NO DIMM

25 000 h = 2.7h/day

16mm diameter

RA ≥ 80

220-240V 50/60Hz

INTERIOR


ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL109041, A+, 4 kWh/1000h

DEDICATED AZZARDO LED BULB 4W G9

G9 4,5W LL109045



360° beam angle

G9 base

320lm, 4,5W

3000K

NO DIMM

25 000 h = 2.7h/day

16mm diameter

RA ≥ 80

220-240V 50/60Hz

INTERIOR


ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL109045, A+, 4,5 kWh/1000h

DEDICATED AZZARDO LED BULB 4,5W G9

G9 6W LL109061



360° beam angle

G9 base

550lm, 6W

3000K

NO DIMM

25 000 h = 2.7h/day

15mm diameter

RA ≥ 80

220-240V 50/60Hz


INTERIOR

ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL109061, A+, 6 kWh/1000h

G9 8W LL109081



360° beam angle

G9 base

720lm, 8W

3000K

NO DIMM

25 000 h = 2.7h/day

18mm diameter

RA ≥ 80

220-240V 50/60Hz


INTERIOR

ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL109081, A+, 8 kWh/1000h

G4 1,6W LL104161
NO DIMM - 3000K



360° beam angle

G4 base

150lm, 1,6W

3000K

NO DIMM

25 000 h = 2.7h/day

10mm diameter

RA ≥ 80

12V AC/DC

INTERIOR


ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL104251, A+, 2 kWh/1000h

DEDICATED AZZARDO LED BULB 1,6W G4

G4 1,6W LL204161
NO DIMM - 4000K



360° beam angle

G4 base

150lm, 1,6W

4000K

NO DIMM

25 000 h = 2.7h/day

10mm diameter

RA ≥ 80

12V AC/DC

INTERIOR


ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL104251, A+, 2 kWh/1000h

DEDICATED AZZARDO LED BULB 1,6W G4

G4 2W LL104251



360° beam angle

G4 base

220lm, 2W

3000K

NO DIMM

25 000 h = 2.7h/day

12mm diameter

RA ≥ 80

12V AC/DC

INTERIOR


ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL104251, A+, 2 kWh/1000h

DEDICATED AZZARDO LED BULB 2W G4

G4 2,5W LL104252



360° beam angle

G4 base

250lm, 2,5W

3000K

NO DIMM

25 000 h = 2.7h/day

16mm diameter

RA ≥ 80

12V AC/DC

INTERIOR


ON < 0,2s

≥ 15 000x

ENERGY LABEL: LL104251, A+, 2 kWh/1000h

DEDICATED AZZARDO LED BULB 2,5W G4


ENERGY EFFICIENCY



group energy label 1, 2, 3, 4, 5, 6, 7, 8

ALPHABETICAL LIST

ADAMO (BLACK) 70	ADAMO (CHROME) 70	ADAMO (GOLD) 70	ADAMO (WHITE) 70	ADAMO RING (BLACK) 71	ADAMO RING (CHROME) 71
ADAMO RING (GOLD) 71	ADAMO RING (WHITE) 71	ALEX (BLACK) 39	ALEX (WHITE) 39	ALIX (BLACK) 38	ALIX (WHITE) 38
ANCONA M (BLACK) 139	ANCONA M (WHITE) 139	ANCONA S (BLACK) 139	ANCONA S (WHITE) 139	ANGUS (CHROME) 143	ANGUS (WHITE) 143
ARCHO 2A (CHROME) 114	ARCHO 2B (CHROME) 114	ARCHO 2C (CHROME) 115	ARCHO A (ALUMINIUM) 114	ARCHO B (ALUMINIUM) 114	ARCHO C (ALUMINIUM) 115
ARO (CHROME) 22	AVON (BLACK) 122	AVON (GOLD) 122	AVON (WHITE) 122	BIAGIO (CHROME) 73	BIAGIO (GOLD) 73
BLAS (ALUMINIUM) 140	BLAS (WHITE) 140	BORIS (ALUMINIUM) 16	BORIS (BLACK) 16	BORIS (WHITE) 16	BROSS 1 (ALUMINIUM) 8
BROSS 1 (BLACK/ALUMINIUM) 8	BROSS 1 (BLACK/BLACK) 8	BROSS 1 (BRIGHT GREY) 8	BROSS 1 (CHROME) 8	BROSS 1 (WHITE) 8	BROSS 1 (WHITE/ALUMINIUM) 8





FELIX M (WHITE) 133



FELIX L (WHITE) 133



FLAVIO (WHITE/BLACK) 24



FLAVIO 2 (WHITE/BLACK) 24



FONS (BRIGHT GRAY) 149



FONS (DARK GRAY) 149



FRAME 70 (BRIGHT GRAY) 156



FRAME 70 (DARK GRAY) 156



FRAME SPIKE (BRIGHT GRAY) 156



FRAME SPIKE (DARK GRAY) 156



FRAME WALL (BRIGHT GRAY) 156



FRAME WALL (DARK GRAY) 156



FRAME WALL (WHITE) 156



GALENA (WHITE) 20




GAMBINO (BRIGHT GRAY) 116



GAMBINO (N) (BRIGHT GRAY) 116



GAMBINO (N) (DARK GRAY) 116



GAMBINO (N) (WHITE) 116



GAMBINO 2 (WHITE) 117



GINNO 1 (ALUMINIUM) 124



GINNO 1 (WHITE/ALUMINIUM) 124



GINNO 2 (ALUMINIUM) 124



GINNO 2 (WHITE/ALUMINIUM) 124



GINNO 3 (ALUMINIUM) 124



GINNO 3 (WHITE/ALUMINIUM) 124




GRACIA (BLACK / GOLD) 113



GRACIA (WHITE / WHITE) 113



HUGO 1 DOWNLIGHT (ALUMINIUM) 84



HUGO 1 DOWNLIGHT (BLACK) 84




HUGO 1 DOWNLIGHT (CHROME) 84



HUGO 1 DOWNLIGHT (WHITE) 84



HUGO 2 DOWNLIGHT (ALUMINIUM) 85



HUGO 2 DOWNLIGHT (BLACK) 85




HUGO 2 DOWNLIGHT (CHROME) 85



HUGO 2 DOWNLIGHT (WHITE) 85



HUGO (ALUMINIUM) 12



HUGO (BLACK) 12



HUGO (WHITE) 12



HUGO R (ALUMINIUM) 12



HUGO R (BLACK) 12



HUGO R (CHAMPAGNE) 12



HUGO R (CHROME) 12



HUGO R (GOLD) 12



HUGO R (WHITE) 12




IBIZA (WHITE/BLACK) 104




IVO (ALUMINIUM) 94



IVO (BLACK) 94



IVO (CHROME) 94



IVO (WHITE) 94



IVO SQUARE (CHROME) 95



IVO SQUARE (WHITE) 95



IVO 2 SQUARE (CHROME) 95



IVO 2 SQUARE (WHITE) 95



JANE TRACK (BLACK) 43



JANE TRACK (WHITE) 43



JERRY 1 12V (BLACK) 40



JERRY 1 12V (CHROME) 40



JERRY 1 12V (WHITE) 40



JERRY 1 LED (BLACK) 41



JERRY 1 LED (WHITE) 41



JERRY 2 12V (BLACK) 40




JERRY 2 12V (CHROME) 40



JERRY 2 12V (WHITE) 40



JERRY 2 LED (BLACK) 41



JERRY 2 LED (WHITE) 41



JERRY 3 12V (BLACK) 40



JERRY 3 12V (CHROME) 40



JERRY 3 12V (WHITE) 40



JERRY 3 LED (BLACK) 41



JERRY 3 LED (WHITE) 41



JERRY TRACK (BLACK) 42



JERRY TRACK (WHITE) 42




LALO (WHITE/BLACK) 25




LALO 2 (WHITE/BLACK) 25




LATONA (BLACK) 127




LATONA (WHITE) 127



LETICIA (ALUMINIUM) 118




LETICIA (ANODISED GOLD) 118



LETICIA (WHITE) 118



LETICIA 2 (ALUMINIUM) 120



LETICIA 2 (WHITE) 120



LETICIA 2 LED (BRIGHT GRAY) 121



LETICIA 2 LED (DARK GRAY) 121



LETICIA 2 LED (WHITE) 121



LINDA 12 (CHROME) 108



LINDA 12 (WHITE) 108



LINDA 17 (CHROME) 108



LINDA 17 (WHITE) 108



LINDA 23 (CHROME) 108



LINDA 23 (WHITE) 108



LINDA 30 (CHROME) 108



LINDA 30 (WHITE) 108



LINO (BLACK) 46



LINO (CHROME) 46



LINO (WHITE) 46



LIVIO 2 (BLACK) 150



LIVIO 2 (BRIGHT GRAY) 150



LIVIO 2 (DARK GRAY) 150



LORENZA (CHROME) 74



LORENZA (WHITE) 74



LORENZO (CHROME) 75



LORENZO (WHITE) 75




LUCA (BRIGHT GRAY) 152




LUCA (DARK GRAY) 152



LUCIANO ROUND (CHROME) 72



LUCIANO ROUND (WHITE) 72



LUCIANO SQUARE (CHROME) 72



LUCIANO SQUARE (WHITE) 72




LUNA (WHITE) 48



MARIKA (ANTIQUE BROWN) 80




MARIKA (ROSE GOLD) 80




MARS (ALUMINIUM) 134




MARS (BLACK / GOLD) 134




MARS (WHITE) 134



MARS (WHITE / GOLD) 134



MATEO S (WHITE) 52



MATEO M (WHITE) 52



MATERA 600 (DARK GRAY) 151



MATERA WALL (DARK GRAY) 151




MAX 1 12V (WHITE/BLACK) 44



MAX 1 LED (WHITE/BLACK) 44



MAX 2 12V (WHITE/BLACK) 44



MAX 2 LED (WHITE/BLACK) 44



MINI BROSS (ALUMINIUM) 6



MINI BROSS (BLACK) 6



MINI BROSS (CHROME) 6




MINI BROSS (WHITE) 6




MINI ELOY (ALUMINIUM) 7



MINI ELOY (BLACK) 7



MINI ELOY (CHROME) 7



MINI ELOY (WHITE) 7



MINI ROUND (BLACK) 18



MINI ROUND (CHROME) 18



MINI ROUND (WHITE) 18



MINI SQUARE (BLACK) 19




MINI SQUARE (WHITE) 19



MINORKA (WHITE/BLACK) 105



MIRA (CHROME) 64



MIRA (GOLD) 64




MOMO 8 (BLACK) 53



MOMO 8 (WHITE) 53



MOMO 12 (BLACK) 53



MOMO 12 (WHITE) 53



MOMO 14 (BLACK) 53



MOMO 14 (WHITE) 53



MONZA R 8 (BLACK) 54



MONZA R 8 (WHITE) 54



MONZA R 12 (BLACK) 54



MONZA R 12 (WHITE) 54



MONZA R 22 (BLACK) 54



MONZA R 22 (WHITE) 54



MONZA R 40 (BLACK) 54



MONZA R 40 (WHITE) 54



MONZA R PENDANT (BLACK) 55



MONZA R PENDANT (WHITE) 55




MONZA SQUARE 22 (BLACK) 56



MONZA SQUARE 22 (WHITE) 56



MONZA SQUARE 40 (BLACK) 56



MONZA SQUARE 40 (WHITE) 56



NEOS 1 (BLACK/ALUMINIUM) 26



NEOS 1 (BLACK/CHROME) 26



NEOS 1 (WHITE/ALUMINIUM) 26



NEOS 1 (WHITE/CHROME) 26



NEOS 2 (BLACK/ALUMINIUM) 26



NEOS 2 (BLACK/CHROME) 26



NEOS 2 (WHITE/ALUMINIUM) 26



NEOS 2 (WHITE/CHROME) 26



NEOS 3 (BLACK/CHROME) 26



NEOS 3 (WHITE/CHROME) 26



NEOS 4 (BLACK/CHROME) 26




NEOS 4 (WHITE/CHROME) 26



NINO 1 (BLACK/ALUMINIUM) 28



NINO 1 (BLACK/CHROME) 28




NINO 1 (WHITE/ALUMINIUM) 28



NINO 1 (WHITE/CHROME) 28



NINO 2 (BLACK/ALUMINIUM) 28



NINO 2 (BLACK/CHROME) 28



NINO 2 (WHITE/ALUMINIUM) 28




NINO 2 (WHITE/CHROME) 28



NINO 3 (BLACK/CHROME) 28




NINO 3 (WHITE/CHROME) 28



NINO 4 (BLACK/ALUMINIUM) 28



NINO 4 (BLACK/CHROME) 28



NINO 4 (WHITE/ALUMINIUM) 28



NINO 4 (WHITE/CHROME) 28



OKA AC (ACRYLIC) 107



OKA AL (WHITE) 107



OSCAR IP44 (CHROME) 90



OSCAR IP44 (WHITE) 90




PABLO (ALUMINIUM) 87



PABLO (WHITE) 87



PACO 1 (ALUMINIUM) 96



PACO 1 (BLACK) 96



PACO 1 (WHITE) 96



PACO 2 (ALUMINIUM) 96



PACO 2 (BLACK) 96



PACO 2 (WHITE) 96



PACO 3 (ALUMINIUM) 96



PACO 3 (BLACK) 96



PACO 3 (WHITE) 96



PANEL 60 3000K (WHITE / ALUMINIUM) 160



PANEL 60 4300K (WHITE / ALUMINIUM) 160



PANEL 60 3000K + PANEL FRAME (WHITE / ALUMINIUM) 160



PANEL 60 4300K + PANEL FRAME (WHITE / ALUMINIUM) 160



PANEL 60 3000K + PENDANT ACCESSORIES (WHITE / ALUMINIUM) 160



PANEL 60 4300K + PENDANT ACCESSORIES (WHITE / ALUMINIUM) 160



PAULO 1 12V (BLACK/ALUMINIUM) 34




PAULO 1 12V (WHITE/ALUMINIUM) 34



PAULO 1 12V (WHITE/WHITE) 34



PAULO 1 230V LED 7W (BLACK/ALUMINIUM) 30



PAULO 1 230V LED 7W (WHITE/ALUMINIUM) 30




PAULO 1 230V LED 7W (WHITE/WHITE) 30



PAULO 1 230V LED 16W (BLACK/ALUMINIUM) 32



PAULO 1 230V LED 16W (WHITE/ALUMINIUM) 32



PAULO 1 230V LED 16W (WHITE/WHITE) 32




PAULO 2 12V (BLACK/ALUMINIUM) 34



PAULO 2 12V (WHITE/ALUMINIUM) 34



PAULO 2 12V (WHITE/WHITE) 34




PAULO 2 230V LED 7W (BLACK/ALUMINIUM) 30



PAULO 2 230V LED 7W (WHITE/ALUMINIUM) 30



PAULO 2 230V LED 7W (WHITE/WHITE) 30




PAULO 2 230V LED 16W (BLACK/ALUMINIUM) 32



PAULO 2 230V LED 16W (WHITE/ALUMINIUM) 32



PAULO 2 230V LED 16W (WHITE/WHITE) 32




PAULO 3 12V (BLACK/ALUMINIUM) 34




PAULO 3 12V (WHITE/ALUMINIUM) 34




PAULO 3 12V (WHITE/WHITE) 34




PAULO 3 230V LED 7W (BLACK/ALUMINIUM) 30




PAULO 3 230V LED 7W (WHITE/ALUMINIUM) 30




PAULO 3 230V LED 7W (WHITE/WHITE) 30




PAULO 3 230V LED 16W (BLACK/ALUMINIUM) 32



PAULO 3 230V LED 16W (WHITE/ALUMINIUM) 32




PAULO 3 230V LED 16W (WHITE/WHITE) 32




PAULO 4 12V (BLACK/ALUMINIUM) 34




PAULO 4 12V (WHITE/ALUMINIUM) 34




PAULO 4 12V (WHITE/WHITE) 34




PAULO 4 230V LED 7W (BLACK/ALUMINIUM) 30




PAULO 4 230V LED 7W (WHITE/ALUMINIUM) 30




PAULO 4 230V LED 7W (WHITE/WHITE) 30




PAULO 4 230V LED 16W (BLACK/ALUMINIUM) 32



PAULO 4 230V LED 16W (WHITE/ALUMINIUM) 32



PAULO 4 230V LED 16W (WHITE/WHITE) 32




PAULO 4 PENDANT 12V (BLACK/ALUMINIUM) 34




PAULO 4 PENDANT 12V (WHITE/ALUMINIUM) 34




PAULO 4 PENDANT 12V (WHITE/WHITE) 34



PAULO 4 PENDANT 230V LED 7W (BLACK/ALUMINIUM) 30




PAULO 4 PENDANT 230V LED 7W (WHITE/ALUMINIUM) 30




PAULO 4 PENDANT 230V LED 7W (WHITE/WHITE) 30



PAULO 4 PENDANT 230V LED (BLACK/ALUMINIUM) 32




PAULO 4 PENDANT 230V LED (WHITE/ALUMINIUM) 32




PAULO 4 PENDANT 230V LED (WHITE/WHITE) 32



PIO (BLACK) 97





5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počíta od dátumu zakoupení zboží.



Ra (CRI) - Colour Rendering Index **EU standard – Ra ≥ 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra ≥ 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra ≥ 80**
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra ≥ 80**
Nejlepší index podání barev Ra(CRI)=100



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modeles.
Veuillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradujeme si právo na vykonávanie ponukových a konstrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.